


FAZONSKI KOMADI OD POLIETILENA VISOKE GUSTINE PE 100





MDS INŽENJERING

18000 Niš, Crvenih Javora 40
Tel/Fax: (018) 212 893,
218 644, 574 178, 574 182
e-mail: mds@bankerinter.net


MDS
INŽENJERING

TULJAK OD POLIETILENA PE 100




Polietilenski venac PE 100
dimenzija od 63 do 500 mm

	DN	D	d	s	b	h	r
32/25	32	68	27,40	2,30	15	40	3
40/32	40	78	35,20	2,40	15	40	3
50/40	50	88	44,00	3,00	15	40	3
63/50	63	102	55,40	3,80	16	40	3
75/65	75	122	66,00	4,50	18	40	3
90/80	90	138	79,20	5,40	20	40	5
110/110	110	160	96,80	6,60	22	40	5
125/100	125	160	110,20	7,40	22	40	5
125/125	125	188	110,20	7,40	22	40	5
140/125	140	188	123,40	8,30	24	40	5
160/150	160	212	141,00	9,50	24	40	5
180/150	180	215	158,60	10,70	26	40	5
200/200	200	270	176,20	11,90	26	40	5
225/200	225	270	198,20	13,40	28	40	5
250/250	250	325	220,40	14,80	30	40	5
280/250	280	325	246,80	16,60	30	40	5
315/300	315	375	277,60	18,70	32	40	5
355/350	350	430	312,80	21,10	50	60	6
400/400	400	482	352,60	23,70	50	60	6
450/450	450	535	396,60	26,70	50	60	6
500/500	500	585	440,60	29,70	50	60	6



ČELIČNE LETEĆE PRIRUBNICE ZA TULJKE





Čelična leteća prirubnica dimenzija od 50 do 500 mm

DN	FI	D	D1	Dk	h	d	n	M
63	50	165	70	125	15	19	4	16
75	65	200	85	145	15	19	4	16
90	80	220	98	160	15	19	4	16
110	100	220	118	180	15	19	8	16
125	100	220	132	180	15	19	8	16
125	125	250	132	210	15	19	8	16
140	125	250	148	210	15	19	8	16
160	150	285	170	240	15	23	8	20
180	150	285	185	240	15	23	8	20
200	200	340	212	295	15	23	8	20
225	200	340	230	295	15	23	8	20
250	250	395	260	350	18	23	12	20
280	250	395	286	350	18	23	12	20
315	300	455	328	400	18	23	12	20
355	350	505	370	460	26	23	16	20
400	400	565	420	515	30	28	16	24
450	450	615	470	565	34	28	20	24
500	500	670	520	620	36	28	20	24

Zaštita: Temeljna boja, plastificiranje i cinčanje




REDUKCIJE OD POLIETILENA PE 100



Redukcija od polietilena PE 100
dimenzija od 63 do 500 mm

DN	DN1	d1	s1	DN1	d1	s1	H
63	63	55,40	3,80	50	44,00	3,00	40
				40	35,20	2,40	40
				32	27,40	2,30	40
75	75	66,00	4,50	63	55,40	3,80	40
				50	44,00	3,00	40
				40	35,20	2,40	40
90	90	79,20	5,40	75	66,00	4,50	40
				63	55,40	3,80	40
				50	44,00	3,00	40
110	110	96,80	6,60	90	79,20	5,40	40
				75	66,00	4,50	40
				63	55,40	3,80	40
125	125	110,20	7,40	110	96,80	6,60	40
				90	79,20	5,40	40
				75	66,00	4,50	40
140	140	123,40	8,30	125	110,20	7,40	40
				110	96,80	6,60	40
				90	79,20	5,40	40
160	160	141,00	9,50	140	123,40	8,30	60
				125	110,20	7,40	60
				110	96,80	6,60	60
180	180	158,60	10,70	160	141,00	9,50	60
				140	123,40	8,30	60
				125	110,20	7,40	60
200	200	176,20	11,90	180	158,60	10,70	60
				160	141,00	9,50	60
				140	123,40	8,30	60
225	225	198,20	13,40	200	176,20	11,90	60
				180	158,60	10,70	60
				160	141,00	9,50	60
250	250	220,40	14,80	225	198,20	13,40	60
				200	176,20	11,90	60
				180	158,60	10,70	60
280	280	246,80	16,60	250	220,40	14,80	60
				225	198,20	13,40	60
				200	176,20	11,90	60
315	315	277,60	18,70	280	246,80	16,60	60
				250	220,40	14,80	60
				225	198,20	13,40	60
355	355	312,80	21,10	315	277,60	18,70	60
				280	246,80	16,60	60
				250	220,40	14,80	60
400	400	352,60	23,70	355	312,80	21,10	60
				315	277,60	18,70	60
				280	246,80	16,60	60
450	450	396,60	26,70	400	352,60	23,70	60
				355	312,80	21,10	60
				315	277,60	18,70	60
500	500	440,60	29,70	450	396,60	26,70	60
				355	312,80	21,10	60


POLIETILENSKI T KOMAD, TT KOMAD, LUK, ZAVRŠNA KAPA




T komadi od polietilena PE 100
dimenzija od 63-315 mm



TT komadi od polietilena PE 100
dimenzija od 63-315 mm



Luk 45° od polietilena PE 100
dimenzija od 63-315 mm



Luk 90° od polietilena PE 100
dimenzija od 63-315 mm




Izrada po posebnoj narudžbini:
- Lukovi od 11 do 90 dimenzija
od 63° do 315° mm
- Fazonski komadi u kombinaciji
sa reducirima, tuljcima i letećim
prirubnicama - po šemi čvorova

DN	T KOMAD	TT KOMAD	LUK 90°	LUK 45°	ZAVRŠNA KAPA
63	63/63	63/63	63/90°	63/45°	63
75	75/75	75/75	75/90°	75/45°	75
90	90/90	90/90	90/90°	90/45°	90
110	110/110	110/110	110/90°	110/45°	110
125	125/125	125/125	125/90°	125/45°	125
140	140/140	140/140	140/90°	140/45°	140
160	160/160	160/160	160/90°	160/45°	160
180	180/180	180/180	180/90°	180/45°	180
200	200/200	200/200	200/90°	200/45°	200
225	225/225	225/225	225/90°	225/45°	225
250	250/250	250/250	250/90°	250/45°	250
280	280/280	280/280	280/90°	280/45°	280
315	315/315	315/315	315/90°	315/45°	315



Završna kapa od polietilena PE 100
dimenzija od 63 do 315 mm

FAZONSKI KOMADI



Prelivni komad od polietilena PE 100 dimenzija od 50 do 500 mm

Prirubnica-tuljak od polietilena PE 100 dimenzija od 63 do 315 mm



Uisna korpa od polietilena PE 100 dimanzija od 50 do 500 mm



Vazdušni ventil od polietilena PE 100 dimenzija od 50 do 150 mm

FAZONSKI KOMADI

